## **Sack-Levine Residence**

101-103 Kilsyth Road Boston, MA 02135

Architect:
Michael Kim Associates
1 Holden Street
Brookline, MA 02445
p:617.739.6925
P.I.C. Michael Kim

Owner:
Jamie Sack & Ken Levine
101-103 Kilsyth Road
Boston, MA 02135
e:sack.jamie@yahoo.com
Contact: Jamie Sack

Contractor:
Na Fianna Construction
21 Newton Street
Boston, MA 02135
p: 617.372.3427
Contact: Cyril McArdle


### Brief Description of Project:


- Single story rear addition
- Rear Porch Demolition

Presentation Index

- 1- Neighborhood Context & Lot Coverage
- 2-Renovation /Addition Specifics













Street View from Wilson Park-Spring






Rear yard Foliage - Spring & Summer



Front Facade, Spring 101-103 Kilsyth on right





Site Plan

### Zoning Analysis

#### Dimensional Data:

Lot Size: 6,606 SF
Frontage: 51 FT
F.A.R. max: 0.8
Building Area: 2,576 SF
First Floor: 1166 SF

Second Floor: Third Floor:

0.39

Finished Area, Propsd. F.A.R. Porposed:

F.A.R. Existing:

3,112 SF (536 SF Add.)

0.47

1276 SF

134 SF

### michaelkim | associates

1 Holden Street #3, Brookline, MA 02445 T 617.739.6925

### Dimensional Requirements:

Lot Size-min.:	6,000 SF	
Lot Size-actual:	6,606 SF	CONFORMING
Frontage-min:	55 FT	
Frontage-actual:	51 FT	NON-CONFORMING
Height-max.:	35 FT	
Height-actual:	+/- 27 FT	CONFORMING
Front Setback-min.:	20 FT	
Front Setback-actual:	18.2 FT	NON-CONFORMING
Side Setback L-min.:	5 FT*	
Side Setback L-actual:	6.8 FT	NON-CONFORMING
Side Setback R-min.:	5 FT*	
Side Setback R-actual:	5.1 FT	CONFORMING
Rear Setback-min.:	30 FT	
Rear Setback-actual:	46.8 FT	PROPOSED CONFORMING
Open Space, usable-min.:	1,600 SF	
Open Space, proposed:	4,230 SF	PROPOSED CONFORMING

<sup>\*</sup> Side yards must be at lease 5'-0" and aggregate side yards shall not be >15'-0"







Neighbor's Addition



Neighbor's House, Rear corner perspective



View from Wilson Park



Lasndscape





Front Facade, Existing



Front Facade, Proposed NO CHANGES





Left Facade, Existing



Right Facade, Existing



Left Facade, Proposed - REAR ADDITION ENTRY



Right Facade, Proposed - REAR ADDITION



Rear Facade, Existing



Rear Facade, Proposed - ADDITION TO ACCOMMODATE LARGE FAMILY



Existing Photo, Rear Yard






Addition does not remove any landscaping

# Boral TruExterior Siding

### PRODUCT DATA SHEET

	TEST METHOD	RESULTS
1. CERTIFICATES AND LISTINGS		
a. Pre-consumer Recycled Content	SCS Global Certification	Minimum 70%
b. Cal Fire (WUI)	CA SFM 12-7A-1	Listing No. 8140-2134:0105
c. Progressive Engineering	Acceptance Criteria 389	PER-13069
d. Cradle to Cradle	C2C Certified™ Product Standard	Bronze
e. Texas Department of Insurance	Thermal and moisture	EC-92
f, ICC-ES	Thermal and moisture	ESR-3597
g. FL Building Code		FL17285
2. PROPERTIES		
a. Density	ASTM C 1185	40-50 lbs/ft <sup>3</sup>
b. Flexural Strength	ASTM C 1185	> 1600 psi
c. Coefficent of Linear Expansion	ASTM D 6341	< 1.40 E-05 in./in./°f
d. Impact Resistance	ASTM D 6110	> 50 in.
3. PERFORMANCE		Carlonnes Section
a. Fungi Rot	AWPA E10	Brown Rot - Negligible Loss White Rot - Negligible Loss
b. Termite Resistance	AWPA E1	> 9.0 (10 being best)
c. Water Absorption	ASTM D 570	< 1.5%
d. Flame Spread	ASTM E 84	< 35
e. Smoke Developed	ASTM E 84	< 450
4. MANUFACTURING TOLERENCES		
a. Width		± 1/16 inch
b. Thickness		± 1/16 inch
c. Length		+2 inches / -0 inches



White

### Shiplap SIDING

#### **RUSTIC & TEXTURED**

AZEK® Deck's Vintage Collection sets a new standard in aesthetics, giving you a more realistic wood appearance than competing alternative decking products. With its rustic texture, rich colors and superior durability, the Vintage Collection will bring your dream outdoor living space to life. Enjoy the beauty and benefits of the AZEK Deck Vintage Collection:

Made with high-performance materials: Capped polymer decking protected with Alloy Armour Technology™

Engineered to last: Resistant to harsh weather, mold, mildew and moisture damage

Designed to inspire: Beautiful colors and graining that resist stains, scratches and fading

Crafted for enjoyment: Quick and easy installation with no annual sealing or staining for protection; superior heat dissipation

Protected for you: 30-year limited fade and stain and lifetime limited warranties; Building Code listings ESR-1667 and CCRR-0101

Decking dimensions

All deck boards are 1" x 5 1/2"

Dark Hickory

Square shouldered lengths: 16' | 20' Grooved lengths: 12' | 16' | 20'

Fascia (1/2" x 11 3/4"): 12'

Cypress®

Square shouldered lengths: 16' | 20' Grooved lengths: 12' | 16' | 20'

Fascia (1/2" x 11 3/4"): 12'

Mahogany

Square shouldered lengths: 16' | 20'

Grooved lengths: 12' | 16' | 20' Fascia (1/2" x 11 3/4"): 12'

**New Azak DECK** 



Vintage Collection 1" X 5 1/2" Square Cypress





## SACK-LEVINE RESIDENCE

# 101 KILSYTH ROAD BRIGHTON, MA 02135

#### PERMIT SET - 2017

ARCHITECT:	CLIENT/OWNER:
MICHAEL KIM ASSOCIATES	JAMIE SACK & KEN LEVINE
1 Holden Street #3	101 Kilsyth Road
Brookline, MA 02445	Brighton, MA 02135
Tel: (617) 739-6925	Tel: (617)
Email: mkim@mkimarchitecture.com	Email: sack.jamie@yahoo.com
CONTACT: Michael Kim	Contact: Jamie Sack
CONTRACTOR:	SURVEYOR:
NA FIANNA CONSTRUCTION	SUMMIT SURVEYYING INC.
21 NEWTON STREET	4 S. Pond Street
BRIGHTON, MA 02135	Newburyport, MA 01950
Tel: (617)372-3427	Tel: (617) 834-6073
CONTACT: Cyril McArdle	Email: www.summitsurveinginc.com
*	Contact: Chuck Brennan


F4 A	DDO IFOT INFORMATION & ZONING
Γ1.0	PROJECT INFORMATION & ZONING
A1.0	DEMOLITION PLANS
A2.0	RENOVATION PLANS
A3.0	EXTERIOR ELEVATIONS
A4.0	GROUND FLOOR LIGHTING PLAN
A5.0	SCHEDULES
A6.0	INTERIOR ELEVATIONS
\$1.0	FRAMING PLANS

#### GENERAL NOTES:

- 1. ALL WORK SHALL COMPLY WITH THE RULES AND REGULATIONS OF THE STATE OF MASSACHUSETTS, THE BRIGHTON BUILDING DEPARTMENT AND OTHER MUNICIPAL AGENCIES HAVING JURISDICTION.
- 2. ALL WORK SHALL BE IN COMPLIANCE WITH THE APPLICABLE BUILDING CODES INCLUDING THE 2010 RESIDENTIAL CODE OF MASSACHUSETTS STATE AND ALL APPLICABLE SUB CODES AND RELATED REGULATIONS.
- 3. THE CONTRACTOR SHALL OBTAIN AND PAY FOR ALL PERMITS REQUIRED FOR THE WORK BEFORE WORK COMMENCES.
- 4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFICATION OF ALL DIMENSIONS AND CONDITIONS PRIOR TO COMMENCEMENT OF WORK.
- 5. THE CONTRACTOR SHALL ASSUME ALL RESPONSIBILITY FOR CORRECTNESS OR FITNESS OF NEW CONSTRUCTION, AND NOTIFY THE ARCHITECT IF ANY DESIGN FEATURES CONFLICT WITH ACTUAL FIELD CONDITIONS.
- 6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY CHANGES AND DEVIATIONS FROM APPROVED PLANS.
- 7. THE CONTRACTOR SHALL COORDINATE ALL WORK WITH REQUIREMENTS OF LOCAL AUTHORITIES, BUILDING MANAGEMENT OR BOARD OF DIRECTORS. 8, PLUMBING AND ELECTRICAL WORK SHALL BE PERFORMED BY PERSONS LICENSED IN THEIR TRADES, WHO WILL ARRANGE FOR INSPECTIONS AND REQUIRED SIGN-OFFS.
- 9. THE CONTRACTOR SHALL PROVIDE ADEQUATE SHORING, BRACING AND SAFETY PROCEDURES DURING PROGRESS OF THE WORK
- 10. ALL EXISTING SURFACES AND EQUIPMENT TO REMAIN SHALL BE FULLY PROTECTED FROM DAMAGE. THE CONTRACTOR SHALL ASSUME FULL RESPONSIBILITY FOR DAMAGE DUE TO CONSTRUCTION ACTIVITY AND SHALL MAKE REPAIRS WITHOUT ADDITIONAL COST TO THE OWNER.
- 11. THE CONTRACTOR SHALL REMOVE OR RELOCATE ALL WIRING, PLUMBING AND MECHANICAL EQUIPMENT AFFECTED BY REMOVAL OF PARTITIONS. PIPES AND LINES SHALL BE CUT TO A POINT OF CONCEALMENT BEHIND OR BELOW FINISH SURFACES AND SHALL BE PROPERLY CAPPED OR PLUGGED. 12. MINOR DETAILS NOT USUALLY SHOWN OR SPECIFIED, BUT NECESSARY FOR PROPER CONSTRUCTION OF ANY PART OF THE WORK, SHALL BE INCLUDED AS IF THEY ARE PART OF THE SCOPE OF THE WORK.
- 13. UPON COMPLETION, THE CONTRACTOR SHALL ARRANGE FOR REQUIRED INSPECTIONS AND SIGN-OFFS
- 14. CONTRACTOR SHALL PROVIDE ARCHITECT WITH SHOP DRAWINGS OF CABINETRY AND SUBMITTALS FOR APPROVAL OF ALL PRODUCTS NOT SPECIFIED IN THE DRAWINGS AND CHOSEN BY THE CONTRACTOR.
- 15. CONTRACTOR SHALL ASSURE THAT ALL EMPLOYEES AND SUB-CONTRACTORS ARE PROPERLY INSURED AND EDUCATED ON SAFETY PROCEDURES ON A WORKSITE.

1. CONTRACTOR SHALL CALL FOR A SITE MEETING AT THE COMPLETION OF DEMOLITION SO ARCHITECT MAY REVIEW EXISTING FRAMING AS IT PERTAINS TO DESIGNED STRUCTURE.

#### ZONING ANALYSIS DIMENSIONAL REQUIREMENTS: PROPERTY DATA: Lot size - Minimum: 6,000 S.F. 101-103 Kilsyth Road Address: 6,606 S.F. [EXIST. CONFORMING] Lot size - Actual Brighton, MA 02135 Frontage - Minimum 55 FT. Parcel ID: 2102076000 TEXIST, NON-CONFORMING 51 FT. Frontage - Actual 3F-6,000 District Designation: Height - Maximum 35 FT. Occupancy: Two-Family Residence Height - Actual +/- 27 FT. [EXIST, CONFORMING] Year Built: Front Setback - Minimum 20 FT. Front Setback- Actual [EXIST. NON-CONFORMING] 18.2 FT. Side Setback Left - Minimum 5 FT.\* DIMENSIONAL INFORMATION: [EXIST, NON-CONFORMING] Side Setback Left - Actual Lot Size: 6,606 S.F. Side Setback Right - Minimum 5 FT.\* Cont. Frontage: 51 ft. [EXIST. CONFORMING] Side Setback Right - Actual 5.1 FT. F.A.R. - Maximum 0.8 Rear Setback - Minimum 30 FT. Building Area - Current: 2,576 S.F. [PROPOSED CONFORMING] Rear Setback - Actual 46.8 FT. 1166 S.F. First Floor: Building Coverage - Maximum NO REQIT Second Floor: 1276 S.F. Building Coverage - Proposed N/A Third Floor: 134 S.F. Open Space, Usable - Min. 1,600 S.F. [PROPOSED CONFORMING] 0.39 F.A.R. - Current: Open Space - Proposed 4,230 S.F. Finished Area - Proposed 3,112 S.F. (536 S.F. Addition) F.A.R. - Proposed 0.47 \* Side Yards must be at least 5'-0" and aggregate side yard shall not be >15'-0"



**KILSYTH** 

(PUBLIC)

ROAD



# **SACK & LEVINE RESIDENCE**

101-103 KILSYTH ROAD BRIGHTON, MA

michaelkim associales

10.30.16 DEMOLITION SET 1 Holden Street #3, Brookline, MA 02445 1, 617,739,6925 06.30.16 PRICING SET

Date Issued May 16, 2017 Drawing Scale TITLE SHEET

T1.0



