

PUBLIC MEETING #2 NOTES

Smith Playground Masterplan

BPRD Project No.: C-40490

Stantec Project No.: 210801266

Meeting Date: Monday, September 21, 2015
Meeting Place: Charlesview Community Room. 123 Antwerp Street
Issue Date: September 25, 2015
Writer: R. Headrick
Attending: Cathy Baker-Eclipse (BPRD), Liza Meyer (BPRD), Ronald Headrick (Stantec), Public (see sign-in sheet)
Copy: Stantec File, BPRD

The below represents the writer's understanding of the comments, decisions or actions taken at the meeting listed and is not intended as a full representation of the meeting. Please advise the writer in writing of additions or corrections required upon receipt or the information herein shall be deemed to be an accurate record of the meeting.

| Mtg-Cat.Item | Description |
|--------------|--|
| 1-1 | INTRODUCTIONS – Cathy Baker-Eclipse (BPRD) |
| 1-1.01 | <p>Community members attended to represent interest in the following amenities: More than half the attendees indicated they were within walking distance of the park. Other uses were represented by at least one attendee including:</p> <ul style="list-style-type: none"> • Softball – Men's Wed nights • Little League • Soccer • Hockey • Bike Polo • Passive Park Use • Basketball – Women's Basketball League 2 days/week 6-9 for 2.5 months in summer • Playgrounds |
| 1-2 | COMMUNITY COMMENTS – Issues & concerns |
| 1-2.01 | Sgt. O'Hara mentioned homeless populations/camps along WBZ edge. Suggested thinning the trees and removing the wall |
| 1-2.02 | Weekend softball league uses fields 1, 2, and 3 |

| | |
|--------|---|
| 1-2.03 | There is a need for a place for dog walkers to bring the dogs |
| 1-2.04 | Little League dedicated lighting is needed and should comply with Little League standards. |
| 1-2.05 | Fence for Little League is “no big deal” and could be eliminated from the design if necessary. |
| 1-3 | ALTERNATIVE 1 - COMMENTS |
| 1-3.01 | Too tight if all three fields are used at once. Five fields are better. |
| 1-4 | ALTERNATIVE 2 - COMMENTS |
| 1-4.01 | Consider adding an amphitheater to the community area. |
| 1-4.02 | Western Ave as a true Boulevard – Bring the beauty of the park out to the street |
| 1-4.03 | Wall is critical – offers protection for the kids in the playground |
| 1-4.04 | Hockey near passive open space can be disruptive |
| 1-4.05 | Balls from bike polo hit outside of the fence – should not be near the street/passive area. |
| 1-5 | ALTERNATIVE 3 - COMMENTS |
| 1-5.01 | Soccer too close to softball |
| 1-5.02 | Brighton High girls use multi-use fields. |
| 1-5.02 | Football soccer – full size, multi-sport field needed |
| 1-6 | ALTERNATIVE 4 - COMMENTS |
| 1-6.01 | Scheme is “Perfect”. Provides 4 baseball/softball, separate multi-use field, and 2 roller hockey. |
| 1-7 | MISCELANEOUS |
| 1-7.01 | Bathrooms and trash receptacles needed. |
| 1-7.02 | Consider the use of ‘Rubberized’ asphalt at the perimeter path to make a softer walk/run surface. |
| 1-7.03 | Playgrounds of different age groups located far away from each other create conflicts for parents with children of varied age ranges. |
| 1-7.04 | Drainage is an issue and will be addressed in design |
| 1-7.05 | Potential pedestrian crossing at Soldiers Field Road should be investigated |
| 1-7.06 | Bike Polo group requested a ‘Bike Repair’ station be include in design near Western Avenue. |